

old to:
COUCH SALES LLCShip to:
COUCH SALES LLC17 ISLAND DRIVE
HILTON HEAD ISLAND, SC 29926
UNITED STATES OF AMERICA147 ISLAND DRIVE
HILTON HEAD ISLAND, SC, 29926
UNITED STATES OF AMERICA

Attention: QUALITY DEPARTMENT

Date: 11-Dec-2018

CERTIFICATION

We hereby certify, the product identified below was manufactured, inspected, and released to engineering and contractual requirements indicated below, unless otherwise noted, under an ISO9000/AS9100 compliant system at the time of shipment. Product was manufactured in the U.S.A.

Cytac Eng Matl Item:	70430500
Item Description:	FM® 1000 ADHESIVE FILM .06 PSF, 34"
EM MSDS No.:	0061710
Lot No.:	6384
Original Order & Line No.:	703064325/10-0
Shipping Slip No.:	70306432511
Customer PO & Line:	CS-18023
Date of Manufacture:	06-Nov-2018
Qty Shipped:	See Pack List
Weight Shipped:	750.0000 SF
Recommended Storage:	6 Mos. at 85 Deg.F Max. from DOS
Classification(s):	A50TF175, Revision S2, Class A
Controlled Rolls/Sublots:	MMM-A-132, Revision B Notice 2, Type I, Class 1, Form F, Group 4 6384-0001
Additional Notes:	TEST DATA ATTACHED

This certification has been reviewed and approved electronically by Melanie Kindt, Quality Representative.

Melanie Kindt

Quality Representative

Cytec Eng Matl Item.: 70430500
 Item Description: FM® 1000 ADHESIVE FILM .06 PSF, 34"
 Lot No.: 6384
 Customer PO & Line: CS-18023
 -- FM1000 ELASTOMERIC ADHESIVE (.06)
 Sales Order & Line No.: 703064325/10-0
 Customer Name: COUCH SALES LLC
 QTY Shipped: 750.0000 SF
 Specification: A50TF175, Revision S2, Class A



Sublot:	Result	Units	Minimum	Maximum
1305-MTL				
AP SHEAR -- 180°F / 82°C Test Temp				
	SHEAR STRN-IND 3000, 3020, 2954, 3030, 2870, 3663	psi	2,750	
	SHEAR STRN-AVG 3089	psi	2,750	
AP SHEAR -- 73°F / 23°C Test Temp				
	SHEAR STRN-IND 6684, 6711, 6379, 6627, 6669, 6767	psi	5,500	
	SHEAR STRN-AVG 6640	psi	5,500	
REAL WEIGHT -- 73°F / 23°C Test Temp				
	AREAL WT-IND 0.0635, 0.0646, 0.0630	lbs/ft ²	0.0550	0.0650
	AREAL WT-AVG 0.0637	lbs/ft ²	0.0550	0.0650
	AREAL WT-IND 0.0639, 0.0643, 0.0639	lbs/ft ²	0.0550	0.0650
	AREAL WT-AVG 0.0640	lbs/ft ²	0.0550	0.0650
	AREAL WT-IND 0.0633, 0.0640, 0.0638	lbs/ft ²	0.0550	0.0650
	AREAL WT-AVG 0.0637	lbs/ft ²	0.0550	0.0650

Cytec Eng Matl Item.: 70430500
 Item Description: FM@ 1000 ADHESIVE FILM .06 PSF, 34"
 Lot No.: 6384
 Customer PO & Line: CS-18023
 --- FM1000 ELASTOMERIC ADHESIVE (.06)
 Sales Order & Line No.: 703064325/10-0
 Customer Name: COUCH SALES LLC
 QTY Shipped: 750.0000 SF



Specification: MMM-A-132, Revision B Notice 2, Type I, Class 1, Form F, Group 4

Sublot	Result	Units	Minimum	Maximum
1305-MTL				
AP SHEAR -- 180°F / 82°C Test Temp				
	SHEAR STRN-IND 3000, 3020, 2954, 3030, 2870, 3663	psi	2,750	
	SHEAR STRN-AVG 3089	psi	2,750	
AP SHEAR -- 73°F / 23°C Test Temp				
	SHEAR STRN-IND 6684, 6711, 6379, 6627, 6669, 6767	psi	5,500	
	SHEAR STRN-AVG 6640	psi	5,500	
REAL WEIGHT -- 73°F / 23°C Test Temp				
	AREAL WT-IND 0.0635, 0.0646, 0.0630	lbs/ft ²	0.0550	0.0650
	AREAL WT-AVG 0.0637	lbs/ft ²	0.0550	0.0650
	AREAL WT-IND 0.0639, 0.0643, 0.0639	lbs/ft ²	0.0550	0.0650
	AREAL WT-AVG 0.0640	lbs/ft ²	0.0550	0.0650
	AREAL WT-IND 0.0633, 0.0640, 0.0638	lbs/ft ²	0.0550	0.0650
	AREAL WT-AVG 0.0637	lbs/ft ²	0.0550	0.0650