

CYTEC ENGINEERED MATERIALS - HDG  
1300 REVOLUTION STREET  
HAVRE DE GRACE, MD 21078 USA

Phone: Fax:

PACKING SLIP

ORIGINAL

Page: 1  
Print Date: 30-Sep-20

**Sold To:**  
COUCH SALES LLC  
147 ISLAND DRIVE  
HILTON HEAD ISLAND, SC 29926  
UNITED STATES OF AMERICA

**Ship To:**  
COUCH SALES LLC  
147 ISLAND DRIVE  
HILTON HEAD ISLAND, SC 29926  
UNITED STATES OF AMERICA

**ATTN:** ARLENE WALKER  
**Phone:** 843-689-3693

**Packing Slip No:** 70307137611  
**Shipment ID No:** 953024473  
**Load ID No:** 940594573  
**Shipped Date:** 01-Oct-20  
**Order No:** 703071376  
**Customer:** 500503962  
**Sls Cor:** CHANDRA FRICKE  
**Act Mgr:**

**Cust.P.O.:** CS-20028  
**Buyer:** BRANDON BRIGHT  
**Phone:** 843-689-3693 **Fax:**  
**Ship From:** HAVRE DE GRACE, MD  
UNITED STATES OF AMERICA 21078  
**Carrier/F.Forward:** FEDEX STANDARD OVERNIGHT (AIR)  
**Mode:** Air  
**Bill of Lading:**  
**Delivery Terms:** EXW (INCOTERMS 2000)  
**Payment Terms:** CREDIT CARD

THE TERMS OF YOUR ACCOUNT, ESTABLISHED BY OUR CREDIT DEPARTMENT, ARE CREDIT  
CARD. WHAT THIS MEANS IS THAT WE MUST RECEIVE CREDIT CARD PAYMENT BEFORE WE CAN  
MANUFACTURE MATERIAL FOR YOUR ORDER. FOR QUESTIONS REGARDING CREDIT, PLEASE  
CONTACT DAVID FRITZ @ 480-730-2162.  
2020 BOOK PRICING

**Line No:** 10/ 0  
**Item:** 70430500  
**Description:** FM@ 1000 ADHESIVE FILM .06 PSF, 34"  
**Specifications:**  
A50TF175, Revision S2, Class A  
MMM-A-132, Revision B Notice 2, Type I, Class 1, Form F, Group 4  
FM1000 ELASTOMERIC ADHESIVE (.06)  
**Recommended Storage:** 6 Mos. at 85 Deg.F Max. from DOS

**MSDS No:** 0061710  
**EU Commodity Code:** 3921909090  
**Ship Notes:**  
SHIP VIA FED EX# 149752137  
CUSTOMER CONTACT: SALES@COUCHSALES.COM

Lot/Sublot No	Delivery Qty	UOM	Net Weight	
1 6446-0001	750.0000	SF	45.000	lb
2 6446-0002	750.0000	SF	45.000	lb

Lot/Sublot No	Delivery Qty	UOM
Lot: 6446	Total: 1500.0000	SF
Sublot Count: 2		
Total (Lots): 1	1500.0000	SF
		90.000 lb

This order does not include acceptance of any quality clauses or purchase order notes unless otherwise specified in the body of Solvay's order acknowledgement.

Shipping Tolerance: +/- 10% unless otherwise specified in body of order acknowledgement.

Export Conditions: If the material being ordered is for export, the buyer must provide the seller with the name of the ultimate end-user of the material and any intermediate consignees or export agents together with a detailed description of the end-use. These materials may require export licenses. Within the United States, the buyer should contact Cytec Engineered Materials, Export Administration at 1-480-730-2098. Within Europe, the buyer should contact Cytec Engineered Materials, Customer Service at 44-1978-665-200. Alternatively, for any goods exported from the United States, the buyer may consult the U.S. Export Administration Regulations (EAR), the International Traffic in Arms Regulations (ITAR), the US Department of State, or the US Department of Commerce to determine the type of license required for export. For goods exported from the United Kingdom, please contact the Department of Trade and Industry. For goods exported from Germany, please contact the Bundesamt fuer Wirtschaft und Ausfuhrkontrolle. For all other countries please contact the applicable government agency responsible for export control. Exporting these materials without the appropriate export license is a serious crime.

This transaction is governed by sellers standard terms and conditions of sale attached hereto notwithstanding any provisions submitted by buyer. Acceptance of the order is expressly conditioned on buyer's assent to seller's terms and conditions. Seller specifically rejects any different or additional terms and conditions and neither seller's performance nor receipt of payment shall constitute an acceptance of them unless otherwise agreed to, in writing, by the seller.

The following is a registered trademark or trademark in the United States used under license:  
FM

Total Storage Units: 0.0000  
Total Shipping Units: 0.0000  
Net Weight : 90.00 lb  
Gross Weight: 0.00 lb



Cytec Engineered Materials Inc.  
 1300 Revolution Street  
 Havre de Grace, MD 21078  
 Telephone 410-939-1910  
 FAX 410-939-8195

**Sold to:**  
**COUCH SALES LLC**

**Ship to:**  
**COUCH SALES LLC**

**147 ISLAND DRIVE  
 HILTON HEAD ISLAND , SC 29926  
 UNITED STATES OF AMERICA**

**147 ISLAND DRIVE  
 HILTON HEAD ISLAND, SC, 29926  
 UNITED STATES OF AMERICA**

**Attention: QUALITY DEPARTMENT**

**Date: 30-Sep-2020**

**CERTIFICATION**

We hereby certify, the product identified below was manufactured, inspected, and released to engineering and contractual requirements indicated below, unless otherwise noted, under an ISO9000/AS9100 compliant system at the time of shipment. Product was manufactured in the U.S.A.

**Cytec Eng Matl Item:** 70430500  
**Cytec Eng SAP Matl Item:** 160221  
**Item Description:** FM® 1000 ADHESIVE FILM .06 PSF, 34"  
**CEM MSDS No.:** 0061710  
**Lot No.:** 6446  
**Sales Order & Line No.:** 703071376/10-0  
**Packing Slip No.:** 70307137611  
**Customer PO & Line:** CS-20028  
**Date of Manufacture:** 22-Sep-2020  
**Date Shipped:** See Pack List  
**QTY Shipped:** 1500.0000 SF  
**Recommended Storage:** 6 Mos. at 85 Deg.F Max. from DOS  
**Specification(s):** A50TF175, Revision S2, Class A  
 MMM-A-132, Revision B Notice 2, Type I, Class 1, Form F, Group 4  
**Picked Rolls/Sublots:** 6446-0001 6446-0002  
**Additional Notes:** TEST DATA ATTACHED

This certification has been reviewed and approved electronically by Melanie Kindt, Quality Representative.

Melanie Kindt

Quality Representative

**Cytec Eng Matl Item.:** 70430500  
**Item Description:** FM® 1000 ADHESIVE FILM .06 PSF, 34"  
**Lot No.:** 6446  
**Cytec Eng SAP Matl Item.:** 160221  
**Customer PO & Line:** CS-20028  
 --- FM1000 ELASTOMERIC ADHESIVE (.06)  
**Sales Order & Line No.:** 703071376/10-0  
**Customer Name:** COUCH SALES LLC  
**QTY Shipped:** 1500.0000 SF



**Specification:** A50TF175, Revision S2, Class A

Sublot:	Result	Units	Minimum	Maximum
<b>4305-MTL</b>				
<b>LAP SHEAR -- 180°F / 82°C Test Temp</b>				
	SHEAR STRN-IND 3004, 3055, 2838, 3051, 3160, 2804	psi	2,750	
	SHEAR STRN-AVG 2985	psi	2,750	
<b>LAP SHEAR -- 73°F / 23°C Test Temp</b>				
	SHEAR STRN-IND 6388, 6346, 6489, 6545, 6307, 6326	psi	5,500	
	SHEAR STRN-AVG 6400	psi	5,500	
<b>AREAL WEIGHT -- 73°F / 23°C Test Temp</b>				
	AREAL WT-IND 0.0568, 0.0573, 0.0576	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-AVG 0.0572	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-IND 0.0611, 0.0609, 0.0598	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-AVG 0.0606	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-IND 0.0640, 0.0632, 0.0633	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-AVG 0.0635	lbs/ft <sup>2</sup>	0.0550	0.0650

**Cytec Eng Matl Item.:** 70430500  
**Item Description:** FM® 1000 ADHESIVE FILM .06 PSF, 34"  
**Lot No.:** 6446  
**Cytec Eng SAP Matl Item.:** 160221  
**Customer PO & Line:** CS-20028  
 --- FM1000 ELASTOMERIC ADHESIVE (.06)  
**Sales Order & Line No.:** 703071376/10-0  
**Customer Name:** COUCH SALES LLC  
**QTY Shipped:** 1500.0000 SF



**Specification:** MMM-A-132, Revision B Notice 2, Type I, Class 1, Form F, Group 4

Sublot:	Result	Units	Minimum	Maximum
<b>4305-MTL</b>				
<b>LAP SHEAR -- 180°F / 82°C Test Temp</b>				
	SHEAR STRN-IND 3004, 3055, 2838, 3051, 3160, 2804	psi	2,750	
	SHEAR STRN-AVG 2985	psi	2,750	
<b>LAP SHEAR -- 73°F / 23°C Test Temp</b>				
	SHEAR STRN-IND 6388, 6346, 6489, 6545, 6307, 6326	psi	5,500	
	SHEAR STRN-AVG 6400	psi	5,500	
<b>AREAL WEIGHT -- 73°F / 23°C Test Temp</b>				
	AREAL WT-IND 0.0568, 0.0573, 0.0576	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-AVG 0.0572	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-IND 0.0611, 0.0609, 0.0598	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-AVG 0.0606	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-IND 0.0640, 0.0632, 0.0633	lbs/ft <sup>2</sup>	0.0550	0.0650
	AREAL WT-AVG 0.0635	lbs/ft <sup>2</sup>	0.0550	0.0650